

PA2003-9seq
SEQUENCE LISTING

<110> Integrated DNA Technologies, Inc.
 <120> Compositions and Methods for Visual Ribonuclease Detection Assays
 <130> PA2003-9
 <140> not assigned
 <141> 2003-10-27
 <160> 30
 <170> PatentIn version 3.2
 <210> 1
 <211> 11
 <212> RNA
 <213> Artificial
 <220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate
 <221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein
 <221> modified_base
 <222> 2, 3, 4, 5, 7, 8, 9, 10
 <223> a = 2'-O-methyl RNA base, adenosine
 <221> modified_base
 <222> 11
 <223> n = Rhodamine
 <400> 1
 naaaauaaaa n 11
 <210> 2
 <211> 6
 <212> RNA
 <213> Artificial
 <220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate
 <221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein
 <221> modified_base
 <222> 2, 4, 5
 <223> a = 2'-O-methyl RNA base, adenosine
 <221> modified_base
 <222> 6
 <223> n = Tamra

<400> 2
nauaan

6

<210> 3
<211> 7
<212> RNA
<213> Artificial

<220>
<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
<222> 1
<223> n = 6-carboxyfluorescein

<221> modified_base
<222> 2, 3, 5, 6
<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
<222> 7
<223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 3
naauaan

7

<210> 4
<211> 7
<212> RNA
<213> Artificial

<220>
<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
<222> 1
<223> n = 6-carboxyfluorescein

<221> modified_base
<222> 2, 3, 5, 6
<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
<222> 7
<223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 4
naagaan

7

<210> 5
<211> 7
<212> RNA
<213> Artificial

<220>
<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide

Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 3, 5, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 5
 naacaan

7

<210> 6
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide
 Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 3, 5, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 6
 naaaaaan

7

<210> 7
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide
 Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 5, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 7
 naguaan

7

<210> 8
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 5, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 8
 naacaan

7

<210> 9
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 5, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 9
 nagaaan

7

<210> 10
 <211> 8
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6, 7
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 8
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 10
 nagucaan

8

<210> 11
 <211> 8
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6, 7
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 8
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 11
 nagcuaan

8

<210> 12
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base

PA2003-9seq

<222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 12
 nacgaan 7

<210> 13
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 13
 nacgcan 7

<210> 14
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 14
 nacggan 7

<210> 15
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 15
 nacguan

7

<210> 16
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 16
 nauagan

7

<210> 17
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 17
 nacuaan

7

<210> 18
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 6
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 18
 nucgaan

7

<210> 19
 <211> 8
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 7
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 8
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 19
 naucgaan

8

<210> 20
 <211> 7
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 6

<223> a = 2'-O-methyl RNA base, adenosine
 <221> modified_base
 <222> 7
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid
 <400> 20
 ncugaan 7
 <210> 21
 <211> 8
 <212> RNA
 <213> Artificial
 <220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate
 <221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein
 <221> modified_base
 <222> 2, 7
 <223> a = 2'-O-methyl RNA base, adenosine
 <221> modified_base
 <222> 8
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid
 <400> 21
 nacugaan 8
 <210> 22
 <211> 8
 <212> RNA
 <213> Artificial
 <220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate
 <221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein
 <221> modified_base
 <222> 2, 7
 <223> a = 2'-O-methyl RNA base, adenosine
 <221> modified_base
 <222> 8
 <223> n = 4-(4'-dimethylaminophenylazo)benzoic acid
 <400> 22
 nagcuaan 8
 <210> 23
 <211> 8
 <212> RNA
 <213> Artificial
 <220>

<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base

<222> 1

<223> n = 6-carboxyfluorescein

<221> modified_base

<222> 2, 7

<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base

<222> 8

<223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 23

nagucaan

8

<210> 24

<211> 8

<212> RNA

<213> Artificial

<220>

<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base

<222> 1

<223> n = 6-carboxyfluorescein

<221> modified_base

<222> 2, 7

<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base

<222> 8

<223> n = 4-(4'-dimethylaminophenylazo)benzoic acid

<400> 24

naagucan

8

<210> 25

<211> 8

<212> RNA

<213> Artificial

<220>

<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base

<222> 1

<223> n = 6-carboxyfluorescein

<221> modified_base

<222> 2, 7

<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base

<222> 8

<223> n = diarylrhodamine (QSY-7)

<400> 25
nagcuaan

8

<210> 26
<211> 8
<212> RNA
<213> Artificial

<220>
<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
<222> 1
<223> n = 6-carboxyfluorescein

<221> modified_base
<222> 2, 7
<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
<222> 8
<223> n = diarylrhodamine (QSY-7)

<400> 26
nagucaan

8

<210> 27
<211> 8
<212> RNA
<213> Artificial

<220>
<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
<222> 1
<223> n = 6-carboxyfluorescein

<221> modified_base
<222> 2, 7
<223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
<222> 8
<223> n = diarylrhodamine (QSY-7)

<400> 27
naagucan

8

<210> 28
<211> 9
<212> RNA
<213> Artificial

<220>
<223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
<222> 1
<223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 8
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 9
 <223> n = diarylrhodamine (QSY-7)

<400> 28
 naaggucan 9

<210> 29
 <211> 8
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 7
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 8
 <223> n = diarylrhodamine (QSY-7)

<400> 29
 naaugcan 8

<210> 30
 <211> 9
 <212> RNA
 <213> Artificial

<220>
 <223> Description of Artificial Sequence: Chimeric RNA Oligonucleotide Substrate

<221> modified_base
 <222> 1
 <223> n = 6-carboxyfluorescein

<221> modified_base
 <222> 2, 8
 <223> a = 2'-O-methyl RNA base, adenosine

<221> modified_base
 <222> 9
 <223> n = diarylrhodamine (QSY-7)

<400> 30
 naauggcan 9